

FOR THOSE WHO DEMAND MORE. STEIGER & QUADTRAC

CASE IH
AGRICULTURE



EFFICIENT POWER EP
MORE PRODUCTIVITY • LESS FUEL

BE READY TO MEET THE WORLD'S DEMANDS.

More food... more grain... more efficient emission standards: Case IH works with you to meet these demands, because getting the highest yields is not about luck, its about farming the way you want to.

Designed to meet the power, durability, comfort and productivity needs of large-scale farmers, this new generation of Quadtrac and Steiger tractors brings added strengths and value to their business.





PAGE 4 PRODUCTIVITY

PAGE 10 ECONOMY

PAGE 14 COMFORT

PAGE 18 SIMPLICITY

PAGE 20 EXPERIENCE & QUALITY

PAGE 21 SYSTEMS APPROACH

PAGE 22 SPECIFICATIONS

Engine Power Management delivers up to an **additional 62hp**, giving up to 10% additional performance.

The hydraulic system gives you outstanding power and precise control, with **up to 428 litres per minute** flow capacity.

PRODUCTIVITY. POWER AT THE HEART OF CROP PRODUCTION.

The Steiger and Quadtrac range of engines are designed to deliver maximum horsepower with Efficient Power. Engine Power Management unleashes up to 62 more horsepower if needed, for navigating undulating fields, steep roads and meeting the higher PTO and hydraulic power demands of today's larger, more productive implements.

Putting power to the ground using the unique Quadtrac design track system will minimise soil damage from the impact of using heavy equipment and maximise crop yields.




Optimum traction at all times with minimum ground pressure makes the Quadtrac the ideal tractor for the heaviest ground conditions.

Conventional articulated steering gives the Steiger and Quadtrac series full-power turns within 5.7m.



HIGH CAPACITY MEANS HIGHER PRODUCTIVITY.

Steiger and Quadtrac engines are designed by CIH and built by Iveco to deliver maximum horsepower smoothly and efficiently. Electronically controlled engines in Steiger and Quadtrac tractors ensure peak power growth at low fuel consumption. If engine rpm drops under load, Engine Power Management unleashes up to 62 more horsepower. With that kind of power growth, you have the boost you need to handle the most difficult terrain in the field and on the road. To make the most of the new series four-wheel drive, specify high-capacity hydraulics, heavy-duty hitch and powerful PTO; when you need to lift, lower, and power implements, these systems help you do more work.



Case IH Selective Catalytic Reduction (SCR) technology improves horsepower, engine responsiveness, fuel economy and engine reliability, all whilst lowering emissions. This makes SCR the superior solution for Steiger and Quadtrac engines.



WORLD RECORD BREAKING POWER.

Engine Power Management maintains productivity by increasing engine power in tough conditions. **Up to 62hp more can be delivered in addition to your tractor's rated power.**

Electronically controlled engines in Steiger and Quadtrac tractors ensure peak power growth at low fuel consumption.



HYDRAULICS AND PTO THAT HELP MAXIMIZE YOUR YIELDS.

Up to 428 litres per minute flowing into up to eight hydraulic remote valves.

That's enough hydraulic flow for even the biggest planters in the industry, and it's easier to monitor and less likely to break down.

The new flow-compensated, quick-connect valves make your operation even more efficient by maintaining precise flow and pressure – even in the most severe conditions. Set the system how you want and it adjusts for changing conditions throughout the day.

A 1000rpm PTO unit can be added to any Steiger and Quadtrac tractor to deliver up to 450hp.



'FLOAT' THROUGH YOUR FIELD TO MAXIMIZE CROP YIELDS.

The Case IH Steiger Quadtrac features four individually driven oscillating tracks and other innovative designs that make this ambitious claim a reality. Optimal ground pressure, superior flotation and better traction - all this and reduced compaction too. It's an engineering advancement that offers versatility and maximum productivity. Quadtrac stands above anything else you could use to work your field.



A HEAVY-DUTY FRAME FOR THE MOST DEMANDING WORK.

Steiger tractors have always featured a longer wheel base with built-in weight, giving you better traction and more front-end weight. No competitor matches the Steiger's **1/2-inch thick steel frame**.....

High-horsepower jobs put extremely demanding pressure on a tractor: Steiger tractors perform so well they're used worldwide in construction applications because they're the toughest ones around.

That's durability you can use for those demanding jobs on your farm.





THE MOST POWERFUL TRACTORS AVAILABLE ARE ALSO EASY TO STEER.

The articulated steering of a Steiger Quadtrac operates like a typical 4WD wheeled tractor. All four tracks remain on the ground, with **equal torque transferred during turning.**

This means manoeuvring under load with minimal loss of traction, unlike two-track systems that disrupt power transfer during turning. In addition, steering remains easy and positive under all conditions, which reduces soil disturbance and protects your headlands.

UNMATCHED EFFECTIVENESS WITH FOUR INDEPENDENT TRACKS.

The four individually driven oscillating tracks of a Steiger Quadtrac give you **greater ground contact** that rubber tyres and two-track systems could never match.

The results strike a balance between productivity and efficiency which you won't find anywhere else. Better traction and less slippage; greater flotation and reduced compaction - it's a design with a clear and proven competitive advantage, and it's only available from Case IH.

BALANCE THAT IS SUPERIOR TO ANY TWO-TRACK SYSTEM.

The four tracks of a Steiger Quadtrac distribute weight more evenly and efficiently than two-track systems, reducing compaction. This leads to numerous other benefits, including **better flotation and traction** and easier transport. That's because Quadtrac distributes loads evenly across the length of each track, even with the added weight of a load putting force onto the rear tracks. Two-track systems dramatically transfer weight from the front to the back, lifting the front of such tractors off the ground and creating several problems. Steiger Quadtrac eliminates that concern with a more efficient, productive design.

IMPROVED DURABILITY AND RELIABILITY WITH A POSITIVE DRIVE.

Delivering more usable power you can depend on is possible because of the exclusive Quadtrac positive-drive design. Lugs that interlock with bars on the wheel eliminate slippage between the drive wheel and track. This is because a positive drive is continuous at all times, even in a wet or slippery spot and, unlike friction drives in competitive two-track systems, the Steiger Quadtrac positive drive **adjusts automatically** under transport or light loads, which reduces wear, friction and heat, and increases durability.

ECONOMY. THE BOTTOM LINE COUNTS.

Case IH customers make our products more efficient and easier to use because they help us develop technology. Our engineers work with producers in the field then use that feedback to improve our designs. Case IH dealers and technicians engage those who use our products, get to learn how they work and find ways to improve results. It's how we've created solutions like APM (Automatic Productivity Management) and AFS (Advanced Farming Systems) to improve economy.

The APM logo consists of the letters 'APM' in a bold, metallic, sans-serif font. The letters are rendered with a 3D effect, appearing to sit on a red, horizontally-oriented oval shadow. The background of the entire advertisement is a photograph of a red Case IH tractor in a golden field at dusk or dawn, with its headlights on and a red and white striped safety sign visible.

APM (Automatic Productivity Management) optimizes efficiency while you concentrate on your work.

MAXIMUM UPTIME.

Keeping you working in your fields through longer service intervals of 600h.



Advanced Farming Systems available on Steiger Quadtrac tractors are an essential ingredient for accuracy giving you improved efficiency.

ISOBUS implement interface, a powerful connection to integrate and control ISOBUS compatible implements with the tractor AFS Pro colour touch screen monitor.

STRAIGHT. IDENTICAL. REPEATABLE.

The optional AFS AccuGuide system is a simple but highly efficient auto-guidance solution.

COUNTING THE COST OF WORK DONE.

No matter how much horsepower is needed, the new range of Steiger and Quadtrac delivers with improved fuel consumption that reduces fuel inputs by up to 9%. The Case IH Selective Catalytic Reduction (SCR) technology solution benefits the farmer and the environment as it improves horsepower, engine responsiveness, fuel economy and engine reliability, all whilst lowering emissions. In addition, running with minimal down time and extended service intervals with easy and effective routine servicing provide more savings through the years of improved productivity.



SET THE GROUND SPEED YOU NEED- WE'LL DO THE REST.

The Diesel Saver™ Automatic Productivity Management system takes the guess-work out of setting the right gear/rpm combination. It does the job for you. Wet spots and hills pose no problems and should not affect your fuel economy. **Diesel Saver keeps you moving at the same speed and gives you the best fuel economy** and power performance through changing field conditions. No one else offers a more effective solution or a simpler one.


A DEPENDABLE TRANSMISSION THAT DOES MORE FOR YOU THAN JUST SHIFT GEARS.

The 16-speed, full powershift Steiger transmission produces smooth shifting and reduces fatigue at the end of a long day in the field. It accomplishes this by using pulse-width modulation, which maximizes the application of power. Other designs operate with less efficiency and waste power. The newest versions of this proven transmission also feature **larger gears and clutch packs (available on Quadtrac 550 and 600) that deliver years of service** whilst transmitting up to 670 peak horsepower to the ground for large-scale farming.



PRECISION COMPONENTS THAT MATCH THE WAY YOU FARM.

The AFS Pro 700™ touch screen monitor can be **integrated into the armrest** to provide a clear overview of vehicle settings, video inputs and simultaneous command and control of ISOBUS-compatible machinery.



EFFICIENT POWER.

The SCR system provides **up to 9% lower fuel consumption** on Tier 4A SCR engines when compared to previous Tier 3 engines.




AN EFFICIENT AUTO-GUIDANCE SYSTEM, FROM FACTORY TO FIELD.

The factory-installed AFS AccuGuide™ autoguidance system offers unsurpassed dependability and convenience. Building the system with the tractor at the Case IH plant ensures correct installation, testing and a higher level of quality, and your tractor arrives closer to field ready when it gets to the dealer because you don't have to wait for a technician to install additional components. **An autoguidance system simplifies your work.**



STRAIGHT. IDENTICAL. REPEATABLE.

They're words you'd expect an auto-guidance system to deliver for you, and it does. Eliminating guesswork of row swath spacing to ensure each one is identical means fewer end-of-row turns and overlaps. It maintains perfectly straight and repeatable rows with RTK accuracy and controls traffic patterns and decreases compaction - benefits that bring higher yields. This adds up to less stress and fatigue for you at the end of the day, meaning you're more relaxed and prepared for the next day's work.



COMFORT & SIMPLICITY. WORKING WITH THE BEST.

The comfort of the operator's environment is a priority for the highest operator productivity. The industry leading Case IH Surveyor cab improves ride comfort in all conditions, with both cab and seat suspension systems. At the same time, operation is made easy and with the Case IH Multicontroller armrest, maximising precision in vehicle and implement control. Controls integrate advanced innovative technology such as APM - Automatic Productivity Management for optimising vehicle settings and AFS - Advanced Farming Systems providing the architecture for fully automated precision farming.

Key functions are at your fingertips. Multicontroller™ Drive Logic armrest featuring ICP™ intuitive control panel so key functions are at your fingertips.

At-a-glance status information provided by the A-post mounted instrument cluster with integrated performance monitor.

360° visibility for clear sightlines in all directions.

Very low noise levels inside cab.

Smooth ride with optional seat suspension and cab suspension.

Ideal working environment with electronic climate control.






TAKING THE STRAIN OUT OF A TOUGH JOB.


It's a tough job and it's a job that has to be done right now.

Good to know that your tractor is ready and waiting with the most comfortable cab in the business.



HARD WORK SHOULDN'T BE A PAIN IN THE NECK.

Autoguidance systems give you more freedom in the cab to look back and check on implement operations, so you don't want a tractor seat that forces you to keep looking forward. **The exclusive, industry-leading 40-degree, right-hand swivel seat** in Steiger tractors gives you a 180-degree full field of vision that keeps you from having to strain your neck all day. The cab controls are on the upper right too so everything is in your field of vision. In addition, the MultiControl Armrest console brings all vital operations into one simple controller - adjust your engine speed, gear, hitch, hydraulics and more without even moving your hand.



WORK LONGER AND STRONGER WITH THE INDUSTRY'S FIRST SUSPENDED CAB.

Case IH Cab Suspension with shock-absorbing components at each corner of the cab stabilizes front-to-back, side-to-side and up-and-down motions, giving the operator a smooth ride no matter what terrain is underneath. A combination of springs, pads and mounts fully isolates the cab from chassis-created vibrations, which leads to freedom from repeated jarring and bouncing, allowing you to have greater focus on the job and more control over your tractor, without the fatigue and soreness that comes at the end of a long shift.



STAY RELAXED, STAY ALERT.

Automatic climate control lets you select the **perfect temperature for continuous comfort.**

ADJUSTABLE TO YOUR DRIVING POSITION.

Luxury swivel seat with controls and monitor integrated into the Multicontroller armrest. The armrest moves up and down and rotates with you if you turn the seat. The steering wheel can be tilted and height adjusted to give you the ideal healthy posture at work. Equipped with air suspension, the leather seat is also available with an integrated heating/cooling system.



Take your pick of lighting packages including standard halogen along with optional High-Intensity-Discharge (HID) lighting technology. **For maximum illumination, opt for the 360° work lamp package** with 4 High Intensity Discharge (HID) trapezoidal lights mounted on cab roof. Additional rear lighting is also available to improve versatility during work, as well as helpful egress lighting for exiting the tractor in the dark.

A SERIOUS WORD ABOUT SIMPLICITY.

Feedback from customers clearly indicates that tractors equipped with the Multicontroller and ICP (intuitive control panel) are the easiest to understand and operate. We have done the sums and found that compared to competitors' systems the Case IH control concept can save you nearly 30% on the time it takes to become fully acquainted with the way the tractor works. The fact is this time saving in the first month adds up to more than 80 hours which, if converted into driver's wages (multiplied by the number of drivers), becomes serious money. To put it simply, it puts money back in your pocket from day one. Do the maths - simplicity really adds up.

A-POST INSTRUMENT DISPLAY

The displays are clear, concise and easy to read. The **integrated Performance Monitor** provides additional feedback on tractor systems status, percent of slip, area worked and service reminders. The driver is also alerted of any warnings, with the engine shutting down automatically to protect your investment if need be.





MULTICONTROLLER™ DRIVE LOGIC ARMREST

The Multicontroller - featuring drive logic - and the ICP intuitive control panel plus AFS Pro 700™ touch screen monitor integrate **all the tractor's functions into the armrest.**

Here, you have all the functions you need in one place: speed selection, direction changes, throttle, Headland Management Control, electronic remote valves, rear hitch controls, PTO, joystick and much more. This operator-friendly environment gets even a novice driver working effectively on day one.

- | | |
|--|---|
| 1 Constant engine speed or Headland Management Control | 12 Auto Field and Auto Road |
| 2 EHC linkage raise/lower | 13 Manual and Auto 4WD/Diff-Lock |
| 3 Remote valve control | 14 EHC Position Control |
| 4 Powershuttle | 15 EHC Draft control |
| 5 Gear ratio up shift or down shift | 16 EHC linkage raise/lower |
| 6 AFS Pro 700™ touch screen monitor | 17 PTO on/off |
| 7 Remote valve controls | 18 Slip Control |
| 8 Hydraulic motor mode and timer buttons | 19 Encoder to adjust timer and flow control |
| 9 Joystick for remote valves | 20 Linkage upper limit control |
| 10 ICP™ Intuitive Control Panel | 21 Linkage drop rate control |
| 11 Constant engine speed | 22 Draft sensitivity control |

EXPERIENCE AND QUALITY. WORLD RECORD BREAKING DURABILITY.

More than 50,000 Steiger and Quadtrac tractors have been built at the Case IH plant in Fargo/USA. From the finish of the paintwork to the core of the heavy-duty frame, these tractors are built to last and are delivered with the specifications you need to get your work done. Start right now and keep producing top productivity year after year.



CHOOSE THE TRACTOR WITH BUILT-IN EXPERIENCE AND QUALITY.

Equipment availability is critical in farming because, when it's time to get going, you need to know that you have every possible resource at your disposal. That is why it is important to choose a tractor that is backed by a heritage of quality, built in the USA: Case IH has been developing reliable agricultural machinery for more than 160 years and Case IH took the lead in pioneering Automatic Productivity Management, well ahead of the rest of the field. More than 50,000 Steiger tractors have been sold.

If you are looking for a tractor that is durable from the engineering to the paintwork, easy to service (600-hour service interval) and promises a high resale value, then you are looking for the World Record Holder.



THE WORLD RECORD HOLDER.

This Series from Case IH combines the tradition of the legendary Steiger tractors with the requirements of the 21st century. No compromise large acreage technology for maximum productivity - as proven in the industry's highest accolade: the **24 hour ploughing World Record.**

THERE'S MORE THAN JUST OUR TRACTORS WORKING IN YOUR FIELDS.

Our dealers have the experience to help you manage your equipment to maximize yields and your bottom line. Parts and service technicians have the expertise to assist you before, during and after the sale. And CNH Capital will work with you to customize financing solutions to identify what works best for your needs and your farm. It's an integrated equipment, maximum service and financing system in one package. All of it focused on your operation.

KNOWLEDGEABLE DEALERS THAT WORK WITH YOU.

Your Case IH dealer understands you need an optimum return on your investment. That means fitting the right horsepower and capabilities with the tools and implements that best fit your farm. Your dealer can recommend the appropriate options package, with proper tyres, weighting and ballasting packages for optimum performance. **And he will analyze results with you, field by field.**

MAXIMUM SERVICE TO GET MAXIMUM UPTIME, SEASON AFTER SEASON.

Case IH offers Max Service, the first owners' support network in the industry. **And it comes with no extra cost to you.** Max Service delivers manufacturer-direct assistance to you and your Case IH dealer. If you need service, parts or just have a question, Case IH staff will quickly respond to your unique situation. Your Case IH dealer already has a full line of parts and components, full-service maintenance programmes and industry-leading warranties. Max Service gives you even more resources to boost productivity with your Case IH equipment, and minimize downtime, because your complete satisfaction is our goal. Your dealer and Max Service are here for you whenever you need help at 00800 227344 00.

OFFERING FINANCING SOLUTIONS FOR MORE THAN 50 YEARS.

CNH Capital's extensive experience in the agricultural industry has created a deep understanding of your unique needs. **Competitive equipment financing with flexible payments can be timed to your cash flow.** Or conserve capital and reduce upfront payments with operating lease options. For other needs, choose from commercial revolving accounts specific to the agricultural industry. We can even help you protect your equipment investment with a wide variety of insurance and equipment protection products. There are financing options that fit the way you farm. CNH Capital helps you find them.




| MODELS | STEIGER 350 | STEIGER 400 Efficient Power EP | STEIGER 450 |
|---|---|-----------------------------------|-----------------------|
| ENGINE | | | |
| Number of cylinder / type | 6 / VGT | 6 / WGT | 6 / WGT |
| Capacity (l) | 9 | 12.9 | 12.9 |
| Rated power ECE R120 ³⁾ [kW/hp(CV)] | 261/355 | 298/406 | 336/457 |
| Rated power ECE R120 ³⁾ Power Management [kW/hp(CV)] | 287/391 | 328/446 | 365/497 |
| Rated engine speed (rpm) | 2000 | 2100 | 2100 |
| Maximum power ECE R120 ³⁾ [kW/hp(CV)] | 287/391 | 328/446 | 369/502 |
| Maximum power ECE R120 ³⁾ Power Management [kW/hp(CV)] | 287/391 | 328/446 | 369/502 |
| ...at engine speed (rpm) | 1800 | 1900 | 1900 |
| Maximum torque (Nm @ 1400rpm and @ 1500rpm with Power Management) | 1745 | 1899 | 2136 |
| Torque rise Standard and Power Management (%) | 40 | 40 | 40 |
| Fuel tank, diesel/urea (litres) | 850/180 | 1200/180 | 1200/180 |
| TRANSMISSION | | | |
| Type | 16/2 Powershift PS4 | 16/2 Powershift PS4 | 16/2 Powershift PS4 |
| Powershuttle | ● | ● | ● |
| AXLES | | | |
| Axle drive and gear arrangement | Planetary 3 Planet / 4 Planet | Planetary 4 Planet | Planetary 4 Planet |
| Axle diameter Standard / Optional (mm) | 115 / 127 | 127 / - | 127 / - |
| Rear axle diff-lock type | Multi disc wet plate with management system | | |
| POWER TAKE OFF | | | |
| Type | Live independent system integral with transmission | | |
| Speeds Option | 1000 | 1000 | 1000 |
| Engine speeds Standard / Option (rpm) | 2000 | 2000 | 2000 |
| Shaft type | 1 3/4" shaft - 20 spline | | |
| HYDRAULIC SYSTEM | | | |
| System type | Variable displacement, pressure and flow compensating (PFC) | | |
| Max. pump flow (l/min) | 151 | 159 | 159 |
| Optional pumps max.pump flow High Flow/Twin Flow (l/min) | 208/408 | 208/408 | 208/408 |
| System pressure (bar) | 210 | 210 | 210 |
| No. of remote valves | 4 to 8 | 4 to 8 | 4 to 8 |
| THREE POINT HITCH | | | |
| Max. lift capacity (kg) | 9071 | 9071 | 9071 |
| Category type | Cat IV-N | Cat IV-N | Cat IV-N |
| DRAWBAR | | | |
| Diameter of drawbar pin-high capacity (mm) | 51 | 51 | 51 |
| Max. permissible vertical load (kg) | 4983 | 4983 | 4983 |
| Max. permissible pulling load (kg) | 17463 | 17463 | 17463 |
| WEIGHT | | | |
| Minimum shipping weight (kg) | 16260 | 16351 | 16351 |
| Permissible total weight (kg) | 19051 | 22453 | 22453 |
| DIMENSIONS ¹⁾ | | | |
| Total length (mm) | 7493 | 7493 | 7493 |
| Total height (mm) | 3843 | 3843 | 3843 |
| Total width (mm) with single axle | 2550 | 2550 | 2550 |
| Total width (mm) with dual axle bar | 3048 | 3048 | 3048 |
| STANDARD TYRES ²⁾ | | | |
| Front and rear | 710/70R42 | | |

● Standard Equipment - Not available ¹⁾ With standard tyres ²⁾ Other tyres on request ³⁾ ECE R120 is equal to ISO 14396 and 97/68/EC

| MODELS | QUADTRAC 450 | QUADTRAC 500 | QUADTRAC 550 | QUADTRAC 600 |
|---|---|---------------------|---------------------|---------------------|
| | Efficient Power EP | | | |
| ENGINE | | | | |
| Number of cylinder / type | 6 / WGT | 6 / WGT | 6 / 2 ST | 6 / 2 ST |
| Capacity (l) | 12.9 | 12.9 | 12.9 | 12.9 |
| Rated power ECE R120 ²⁾ [kW/hp(CV)] | 336/457 | 373/508 | 410/558 | 447/608 |
| Rated power ECE R120 ²⁾ Power Management [kW/hp(CV)] | 365/497 | 403/548 | 440/599 | 477/649 |
| Rated engine speed (rpm) | 2100 | 2100 | 2100 | 2100 |
| Maximum power ECE R120 ²⁾ [kW/hp(CV)] | 369/502 | 410/558 | 451/614 | 492/670 |
| Maximum power ECE R120 ²⁾ Power Management [kW/hp(CV)] | 369/502 | 410/558 | 451/614 | 492/670 |
| ... at engine speed (rpm) | 1900 | 1900 | 1900 | 1900 |
| Maximum torque (Nm @ 1400rpm and @ 1500rpm with Power Management) | 2136 | 2374 | 2611 | 2848 |
| Torque rise Standard and Power Management (%) | 40 | 40 | 40 | 40 |
| Fuel tank, diesel/urea (litres) | 1200/250 | 1200/250 | 1820/250 | 1820/250 |
| TRANSMISSION | | | | |
| Type | 16/2 Powershift PS4 | 16/2 Powershift PS4 | 16/2 Powershift PS6 | 16/2 Powershift PS6 |
| Powershuttle | ● | ● | ● | ● |
| AXLES | | | | |
| Axle drive and gear arrangement | Planetary & drop gear, 3 planet | | | |
| Axle diameter | Flanged | | | |
| Rear axle diff-lock type | Multi disc wet plate with management system | | | |
| POWER TAKE OFF | | | | |
| Type | Live independent system integral with transmission | | | |
| Speeds Option | 1000 | 1000 | 1000 | 1000 |
| Engine speeds Standard / Option (rpm) | 2000 | 2000 | 2000 | 2000 |
| Shaft type | 1 3/4" shaft - 20 spline | | | |
| HYDRAULIC SYSTEM | | | | |
| System type | Variable displacement, pressure and flow compensating (PFC) | | | |
| Max. pump flow (l/min) | 159 | 159 | 159 | 159 |
| Optional pumps max.pump flow High Flow/Twin Flow (l/min) | 208/408 | 216/428 | 216/428 | 216/428 |
| System pressure (bar) | 210 | 210 | 210 | 210 |
| No. of remote valves | 4 to 8 | 4 to 8 | 4 to 8 | 4 to 8 |
| THREE POINT HITCH | | | | |
| Max. lift capacity (kg) | 8949 | 8949 | 8949 | 8949 |
| Category type | Cat IV-N | Cat IV-N | Cat IV-N | Cat IV-N |
| DRAWBAR | | | | |
| Diameter of drawbar pin-high capacity (mm) | 51 | 51 | 51 | 51 |
| Max. permissible vertical load (kg) | 4983 | 4983 | 4983 | 4983 |
| Max. permissible pulling load (kg) | 22453 | 22453 | 22453 | 22453 |
| WEIGHT | | | | |
| Minimum weight (kg) | 24292 | 24405 | 24405 | 24405 |
| Permissible total weight (kg) | 25401 | 25401 | 25401 | 25401 |
| DIMENSIONS ¹⁾ | | | | |
| Total length (mm) | 7613 | 7613 | 7613 | 7613 |
| Total height (mm) | 3912 | 3912 | 3912 | 3912 |
| Total width (mm) | 2997 | 2997 | 2997 | 2997 |
| TRACKS | | | | |
| Drive | 4 independent crawler tracks | | | |
| Track width Standard / Option (cm) | 76 / 91 | 76 / 91 | 76 / 91 | 76 / 91 |

● Standard Equipment - Not available ¹⁾ With standard tyres ²⁾ ECE R120 is equal to ISO 14396 and 97/68/EC

 Safety never hurts! Always read the Operator's Manual before working with any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. This literature has been published for worldwide circulation. The standard and optional equipment and the availability of individual models may vary from one country to the next. Case IH reserves the right to undertake modifications without prior notice to the design and technical equipment at all times without this resulting in any obligation whatsoever to make such modifications to units already sold. Whilst every effort is made to ensure that the specifications, descriptions and illustrations in this brochure are correct at the time of going to press, these are also subject to change without prior notice. Illustrations may show optional equipment or may not show all standard equipment.

